

## Thermal Transfer Self-Laminating Labels


- Self-laminating adhesive labels supplied on rolls, include a colored print-on area and clear overlamine
- Use with Panduit RMH4BL hybrid thermal transfer ribbon



### Material/Print Method Selection Guide

| Material                                   | Print Method         | Temperature Range                 | Features   |
|--|----------------------|-----------------------------------|--|
| Self-Laminating Vinyl, White Print-On (VA) | Thermal Transfer (T) | -40°F to 200°F<br>(-40°C to 93°C) | Indoor/outdoor rated; thin and conformable; preferred material for most general wire/cable labeling. |

### Part Number System for Self-Laminating Labels



| Part Number          | Part Description  | Width |      | Length |      | Print-On Area Height |      | Min. Cable O.D. |      | Max. Wire O.D. |      | Std. Pkg. Qty. | Std. Ctn. Qty. |
|----------------------|---|-------|------|--------|------|----------------------|------|-----------------|------|----------------|------|----------------|----------------|
|                      |   | In.   | mm   | In.    | mm   | In.                  | mm   | In.             | mm   | In.            | mm   |                |                |
| <b>S050X075VA1Y</b>  | White print-on area, vinyl label for 18 – 14 AWG wires.             | 0.50  | 12.7 | 0.75   | 19.1 | 0.25                 | 6.4  | 0.08            | 2.03 | 0.16           | 4.0  | 5000           | 20000          |
| <b>S050X075VATY*</b> | White print-on area, vinyl label for 18 – 14 AWG wires.             | 0.50  | 12.7 | 0.75   | 19.1 | 0.25                 | 6.4  | 0.08            | 2.03 | 0.16           | 4.0  | 5000           | 40000          |
| <b>S050X125VA1Y</b>  | White print-on area, vinyl label for 12 – 10 AWG wires.             | 0.50  | 12.7 | 1.25   | 31.8 | 0.38                 | 9.7  | 0.12            | 3.1  | 0.28           | 7.0  | 5000           | 20000          |
| <b>S050X125VATY*</b> | White print-on area, vinyl label for 12 – 10 AWG wires.             | 0.50  | 12.7 | 1.25   | 31.8 | 0.38                 | 9.7  | 0.12            | 3.1  | 0.28           | 7.0  | 5000           | 10000          |
| <b>S050X150VA1Y</b>  | White print-on area, vinyl label for Cat. 5e/Cat. 6 cables.         | 0.50  | 12.7 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 60000          |
| <b>S050X150VATY*</b> | White print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables. | 0.50  | 12.7 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 40000          |
| <b>S050X250VATY*</b> | White print-on area, vinyl label for 6 – 2 AWG wires.               | 0.50  | 12.7 | 2.50   | 63.5 | 1.00                 | 25.4 | 0.32            | 8.1  | 0.95           | 24.3 | 5000           | 20000          |

Order number of labels required in multiples of Std. Pkg. Qty.

Use with Panduit thermal transfer hybrid or wax ribbons.

\*Labels are roll mounted on 3.00" cores; when using the TDP43MY printer and 3.00" cores, the roll stand (TDP43ME-RS) is required.

**Table continues on page E2.8**

For technical assistance in the U.S., call 866-405-6654 (outside the U.S., see inside back cover for directory)

A.  
System  
Overview

## Thermal Transfer Self-Laminating Labels (continued)

B1.  
Cable Ties

B2.  
Cable Accessories

B3.  
Stainless  
Steel Ties

C1.  
Wiring  
Duct

C2.  
Surface Raceway

C3.  
Abrasion  
Protection

C4.  
Cable  
Management

D1.  
Terminals

D2.  
Power Connectors

D3.  
Grounding  
Connectors

E1.  
Labeling Systems

E2.  
Labels

E3.  
Pre-Printed  
& Write-On  
Markers

E4.  
Permanent  
Identification

E5.  
Lockout/  
Tagout  
& Safety  
Solutions

F.  
Index

| Part Number          | Part Description   | Width |      | Length |      | Print-On Area Height |      | Min. Cable O.D. |      | Max. Wire O.D. |      | Std. Pkg. Qty. | Std. Ctn. Qty. |
|----------------------|--|-------|------|--------|------|----------------------|------|-----------------|------|----------------|------|----------------|----------------|
|                      |  | In.   | mm   | In.    | mm   | In.                  | mm   | In.             | mm   | In.            | mm   |                |                |
| <b>S075X075VATY*</b> | White print-on area, vinyl label for 18 – 14 AWG wires.              | 0.75  | 19.1 | 0.75   | 19.1 | 0.25                 | 6.4  | 0.08            | 2.03 | 0.16           | 4.04 | 5000           | 20000          |
| <b>S075X125VATY*</b> | White print-on area, vinyl label for 12 – 10 AWG wires.              | 0.75  | 19.1 | 1.25   | 31.8 | 0.38                 | 9.7  | 0.12            | 3.1  | 0.28           | 7.0  | 5000           | 20000          |
| <b>S075X150VATY*</b> | White print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.  | 0.75  | 19.1 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X075VA1Y</b>  | White print-on area, vinyl label for 18 – 14 AWG wires.              | 1.00  | 25.4 | 0.75   | 19.1 | 0.25                 | 6.4  | 0.08            | 2.0  | 0.16           | 4.0  | 2500           | 10000          |
| <b>S100X075VATY*</b> | White print-on area, vinyl label for 18 – 14 AWG wires.              | 1.00  | 25.4 | 0.75   | 19.1 | 0.25                 | 6.4  | 0.08            | 2.1  | 0.16           | 4.0  | 5000           | 10000          |
| <b>S100X125VA1Y</b>  | White print-on area, vinyl label for 12 – 10 AWG wires..             | 1.00  | 25.4 | 1.25   | 31.8 | 0.38                 | 9.7  | 0.12            | 3.1  | 0.28           | 7.0  | 2500           | 10000          |
| <b>S100X125VATY*</b> | White print-on area, vinyl label for 12 – 10 AWG wires.              | 1.00  | 25.4 | 1.25   | 31.8 | 0.38                 | 9.7  | 0.12            | 3.1  | 0.28           | 7.0  | 5000           | 10000          |
| <b>S100X150VA1Y</b>  | White print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.  | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 2500           | 30000          |
| <b>S100X150VATY*</b> | White print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.  | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150VBTY*</b> | Blue print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.   | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150VCTY*</b> | Brown print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.  | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150VDTY*</b> | Green print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.  | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150VETY*</b> | Gray print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.   | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150VFTY*</b> | Orange print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables. | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150VGTY*</b> | Purple print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables. | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150VHTY*</b> | Red print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.    | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150VITY*</b> | Yellow print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables. | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150V0TY*</b> | Black print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.  | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X150V9TY*</b> | Gold print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables.   | 1.00  | 25.4 | 1.50   | 38.1 | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| <b>S100X225VA1Y</b>  | White print-on area, vinyl label for 8 – 4 AWG wires.                | 1.00  | 25.4 | 2.25   | 57.2 | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 1500           | 18000          |
| <b>S100X225VATY*</b> | White print-on area, vinyl label for 8 – 4 AWG wires.                | 1.00  | 25.4 | 2.25   | 57.2 | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| <b>S100X225VBTY*</b> | Blue print-on area, vinyl label for 8 – 4 AWG wires.                 | 1.00  | 25.4 | 2.25   | 57.2 | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| <b>S100X225VCTY*</b> | Brown print-on area, vinyl label for 8 – 4 AWG wires.                | 1.00  | 25.4 | 2.25   | 57.2 | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |

Order number of labels required in multiples of Std. Pkg. Qty.  
Use with Panduit thermal transfer hybrid or wax ribbons.

\*Labels are roll mounted on 3.00" cores; when using the TDP43MY printer and 3.00" cores, the roll stand (TDP43M-RS) is required.

## Thermal Transfer Self-Laminating Labels (continued)

| Part Number   | Part Description  | Width |      | Length |       | Print-On Area Height |      | Min. Cable O.D. |      | Max. Wire O.D. |      | Std. Pkg. Qty. | Std. Ctn. Qty. |
|---------------|---|-------|------|--------|-------|----------------------|------|-----------------|------|----------------|------|----------------|----------------|
|               |   | In.   | mm   | In.    | mm    | In.                  | mm   | In.             | mm   | In.            | mm   |                |                |
| S100X225VDTY* | Green print-on area, vinyl label for 8 – 4 AWG wires.               | 1.00  | 25.4 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.06 | 0.48           | 12.1 | 5000           | 20000          |
| S100X225VETY* | Gray print-on area, vinyl label for 8 – 4 AWG wires.                | 1.00  | 25.4 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| S100X225VFTY* | Orange print-on area, vinyl label for 8 – 4 AWG wires.              | 1.00  | 25.4 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| S100X225VGTY* | Purple print-on area, vinyl label for 8 – 4 AWG wires.              | 1.00  | 25.4 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| S100X225VHTY* | Red print-on area, vinyl label for 8 – 4 AWG wires.                 | 1.00  | 25.4 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| S100X225VITY* | Yellow print-on area, vinyl label for 8 – 4 AWG wires.              | 1.00  | 25.4 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| S100X225V0TY* | Black print-on area, vinyl label for 8 – 4 AWG wires.               | 1.00  | 25.4 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| S100X225V9TY* | Gold print-on area, vinyl label for 8 – 4 AWG wires.                | 1.00  | 25.4 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| S100X250VATY* | White print-on area, vinyl label for 6 – 2 AWG wires.               | 1.00  | 25.4 | 2.50   | 63.5  | 1.00                 | 25.4 | 0.32            | 8.1  | 0.48           | 12.1 | 5000           | 20000          |
| S100X400VA1Y  | White print-on area, vinyl label for 2 – 1 AWG wires.               | 1.00  | 25.4 | 4.00   | 101.6 | 1.00                 | 25.4 | 0.32            | 8.1  | 0.95           | 24.3 | 1000           | 4000           |
| S100X400VATY* | White print-on area, vinyl label for 2 – 1 AWG wires.               | 1.00  | 25.4 | 4.00   | 101.6 | 1.00                 | 25.4 | 0.32            | 8.1  | 0.95           | 24.3 | 2500           | 12500          |
| S100X650VA1Y  | White print-on area, vinyl label for 1/0 – 250 MCM wires.           | 1.00  | 25.4 | 6.50   | 165.1 | 1.50                 | 38.1 | 0.48            | 12.1 | 1.59           | 40.4 | 250            | 1000           |
| S100X650VATY* | White print-on area, vinyl label for 1/0 – 250 MCM wires.           | 1.00  | 25.4 | 6.50   | 165.1 | 1.50                 | 38.1 | 0.48            | 12.1 | 1.59           | 40.4 | 1000           | 2000           |
| S150X150VATY* | White print-on area, vinyl label for Cat. 5e/Cat. 6/Cat. 6A cables. | 1.50  | 38.1 | 1.50   | 38.1  | 0.50                 | 12.7 | 0.16            | 4.0  | 0.32           | 8.1  | 5000           | 20000          |
| S150X225VATY* | White print-on area, vinyl label for 8 – 4 AWG wires.               | 1.50  | 38.1 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 5000           | 20000          |
| S150X400VATY* | White print-on area, vinyl label for 2 – 1 AWG wires.               | 1.50  | 38.1 | 4.00   | 101.6 | 1.00                 | 25.4 | 0.32            | 8.1  | 0.95           | 24.3 | 2500           | 10000          |
| S200X225VA1Y  | White print-on area, vinyl label for 8 – 4 AWG wires.               | 2.00  | 50.8 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 500            | 2000           |
| S200X225VATY* | White print-on area, vinyl label for 8 – 4 AWG wires.               | 2.00  | 50.8 | 2.25   | 57.2  | 0.75                 | 19.1 | 0.24            | 6.1  | 0.48           | 12.1 | 1000           | 4000           |
| S200X250VATY* | White print-on area, vinyl label for 6 – 2 AWG wires.               | 2.00  | 50.8 | 2.50   | 63.5  | 1.00                 | 25.4 | 0.32            | 8.1  | 0.48           | 12.1 | 1000           | 4000           |
| S200X400VA1Y  | White print-on area, vinyl label for 2 – 1 AWG wires.               | 2.00  | 50.8 | 4.00   | 101.6 | 1.00                 | 25.4 | 0.32            | 8.1  | 0.95           | 24.3 | 500            | 2000           |
| S200X400VATY* | White print-on area, vinyl label for 2 – 1 AWG wires.               | 2.00  | 50.8 | 4.00   | 101.6 | 1.00                 | 25.4 | 0.32            | 8.1  | 0.95           | 24.3 | 1000           | 3000           |
| S200X650VA1Y  | White print-on area, vinyl label for 1/0 – 250 MCM wires.           | 2.00  | 50.8 | 6.50   | 165.1 | 1.50                 | 38.1 | 0.48            | 12.1 | 1.59           | 40.4 | 250            | 1000           |
| S200X650VATY* | White print-on area, vinyl label for 1/0 – 250 MCM wires.           | 2.00  | 50.8 | 6.50   | 165.1 | 1.50                 | 38.1 | 0.48            | 12.1 | 1.59           | 40.4 | 1000           | 2000           |

Order number of labels required in multiples of Std. Pkg. Qty.

Use with Panduit thermal transfer hybrid or wax ribbons.

\*Labels are roll mounted on 3.00" cores; when using the TDP43MY printer and 3.00" cores, the roll stand (TDP43M-RS) is required.

A.  
System  
Overview

B1.  
Cable Ties

B2.  
Cable  
Accessories

B3.  
Stainless  
Steel Ties

C1.  
Wiring  
Duct

C2.  
Surface  
Raceway

C3.  
Abrasion  
Protection

C4.  
Cable  
Management

D1.  
Terminals

D2.  
Power  
Connectors

D3.  
Grounding  
Connectors

E1.  
Labeling  
Systems

E2.  
Labels

E3.  
Pre-Printed  
& Write-On  
Markers

E4.  
Permanent  
Identification

E5.  
Lockout/  
Tagout  
& Safety  
Solutions

F.  
Index